

# EDGE & FLUSH PULLS



**1165 Edge pull**  
 3 7/8" x 3/4"  
 Shown in light  
 bronze patina



**Round Flush pull**  
 1821.2: dia. 2 1/2"  
 1821.3: dia. 3 1/4"  
 Shown in dark  
 bronze patina



**1823 Flush pull**  
 7" x 2 1/4"  
 Shown in white  
 bronze patina



**1822 Flush pull**  
 5" x 2 1/4"  
 Shown in white  
 bronze patina



**1820.4 Flush pull**  
 4" x 2"  
 Shown in light  
 bronze patina



**1820.6 Flush pull**  
 6" x 2"  
 Shown in white  
 bronze patina



**1820.8 Flush pull**  
 8" x 2"  
 Shown in dark  
 bronze patina



**1820.12 Flush pull**  
 12" x 2"  
 Shown in white  
 bronze patina

# SLIDING & POCKET DOOR HARDWARE

	<p><b>1830.8.25</b></p> <ul style="list-style-type: none"> <li>• PRIVACY FUNCTION</li> <li>• INCLUDES ACCURATE 2002 LOCK / PULL</li> <li>• MINIMUM DOOR THICKNESS 1 3/4"</li> </ul>
	<p><b>1830.8.25 DBL</b></p> <ul style="list-style-type: none"> <li>• PRIVACY FUNCTION FOR DOUBLE DOORS</li> <li>• INCLUDES ACCURATE 2002 LOCK / PULL AND 2002 CPDS STRIKE / PULL</li> <li>• MINIMUM DOOR THICKNESS 1 3/4"</li> </ul>
	<p><b>1830.8.44</b></p> <ul style="list-style-type: none"> <li>• PATIO FUNCTION</li> <li>• INCLUDES ACCURATE 2002 LOCK / PULL</li> <li>• MINIMUM DOOR THICKNESS 1 3/4"</li> </ul>
	<p><b>1830.8.44 DBL</b></p> <ul style="list-style-type: none"> <li>• PATIO FUNCTION FOR DOUBLE DOORS</li> <li>• INCLUDES ACCURATE 2002 LOCK / PULL AND 2002 CPDS STRIKE / PULL</li> <li>• MINIMUM DOOR THICKNESS 1 3/4"</li> </ul>
	<p><b>1830.8.50</b></p> <ul style="list-style-type: none"> <li>• ENTRY FUNCTION</li> <li>• INCLUDES ACCURATE 2002 LOCK / PULL</li> <li>• MINIMUM DOOR THICKNESS 1 3/4"</li> <li>• KEYED SET CANNOT BE FLUSH MOUNTED</li> </ul>
	<p><b>1830.8.50 DBL</b></p> <ul style="list-style-type: none"> <li>• ENTRY FUNCTION FOR DOUBLE DOORS</li> <li>• INCLUDES ACCURATE 2002 LOCK / PULL AND 2002 CPDS STRIKE / PULL</li> <li>• MINIMUM DOOR THICKNESS 1 3/4"</li> <li>• KEYED SET CANNOT BE FLUSH MOUNTED</li> </ul>
	<p><b>1830.8.34</b></p> <ul style="list-style-type: none"> <li>• PASSAGE FUNCTION</li> <li>• INCLUDES ACCURATE 2000 PULL</li> <li>• MINIMUM DOOR THICKNESS 1 3/4"</li> </ul>
	<p><b>1830.8.40</b></p> <ul style="list-style-type: none"> <li>• FLUSH PULL</li> <li>• SINGLE PULL SUPPLIED</li> <li>• NO LOCK</li> </ul>

POCKET DOOR HARDWARE



**Sliding/Pocket Door Hardware**  
 8 1/2" x 2 1/2"  
 Shown in dark bronze patina  
 Supplied with Accurate mortise lock  
 Minimum door thickness 1 3/4"

SLIDING DOOR HARDWARE

# TRIM FOR SLIDING FRENCH & PATIO DOORS



**SLDPULL-OS**  
(Offset tailpiece)



**SLDPULL-CT**  
(Centered tailpiece)

## Single Point Sliding Handle

8 3/8" x 1"

- Suitable for locks with mounting holes 100mm (3.94") apart
- Narrow (1" wide) plate makes this ideal for doors with small stiles

### FUNCTION

### RECTANGULAR

Patio with offset tailpiece

SLDPULL-OS.43

Patio with centered tailpiece

SLDPULL-CT.43

Dummy


SLDPULL.42



## SPHPS

11 1/4" x 1 1/2"

Shown with 402 Offset Hampton lever in dark bronze patina



## MDHPS

10 1/8" x 1 1/2"

Shown with 452 Offset Apollo lever in dark bronze patina

## Handle for Hoppe HLS 9000 Lock

- Suitable only for Hoppe HLS 9000 sliding door lock.
- Thumbturn operates a 7mm spindle (square orientation).
- Available with Offset Apollo (452) or Offset Hampton (402) levers.

SLIDING TRIM FOR MULTIPOINT LOCKS

## Ordering Guide

Patina	Escutcheon	Lever	Function	Handing
BZ Dark Bronze	SQHPS Rectangular 10 1/8" x 1 1/2"	452 Offset Apollo	Patio 43 function	L Left
LT Light Bronze	MDHPS Urban 10 1/8" x 1 1/2"	402 Offset Hampton	Dummy 42 function	R Right
WL White Bronze	SPHPS Arched 11 1/4" x 1 1/2"			
TC Matt Black				

# TRIM FOR SLIDING FRENCH & PATIO DOORS

## APS CONFIGURATION



12" x 1 1/4" Plate  
Shown with York Pull  
Screw CTC: 10 1/4"

## TSL CONFIGURATION



13 3/4" x 1 1/4" Plate  
Shown with Dunn Pull  
Screw CTC: 12"

## MWF CONFIGURATION




13" x 1 7/8" Plate  
Shown with York Pull  
Screw CTC: 11 1/4"

### Ordering Guide

Patina	Suite	Configuration	Pull	Function	Handing
BZ Dark Bronze	SQ Rectangular	APS	York	Patio 43 function	L Left
LT Light Bronze	MD Urban	TSL	Dunn	Dummy 42 function	R Right
WL White Bronze	SP Arched	MWF			
TC Matt Black					

### Handing Guide for Sliding Doors




### Lift & Slide Handle (non-removable handle)

Plate Size: 1 3/8" x 6"  
Handle length: 9 1/2"  
Handle operates: 10mm spindle

SUITE	ITEM
RECTANGULAR	SQ.L&S.FIXHDL

SLIDING TRIM FOR  
MULTIPOINT LOCKS

# GATE HARDWARE



**SR Gate Latch**  
7" x 2 1/2"  
Shown with Hampton 400 lever in dark bronze patina



**MD Gate Latch**  
5 1/8" x 2 1/2"  
Shown with Hampton 400 lever in light bronze patina



## ORDERING GUIDE

Patina		Escutcheon	Lever	Function	Handing*
BZ Dark Bronze	LT Light Bronze	select from table below	select from pages 13-15	36 Function Gate Passage	L LHR
WL White Bronze	TC Matt Black				R RHR


\* Swing direction is critical when ordering gate hardware.

Drop bar is not designed to act as the sole closing device for a gate. This product is designed to be used with a gate stop or other hardware that stops the gate slightly before the drop bar engages the strike. Should you require a gate stop, please see below.


Gate Hardware is available with your choice of lever combined with any of these escutcheons:



**3550.1 3/4 Standard Gate Stop**



**3550.3 1/4 Extended Gate Stop**




Strike included with Gate stops


# GATE HARDWARE




**3540 Hasp and Staple**  
5" x 1"  
Shown in dark bronze patina



**3520 Drop Bar**  
Arm Length: 7 1/8"  
  
Installed on single side of door  
Must be used in conjunction with a gate stop.



**3510 Ring Turn Drop Bar**  
Plate size: 4 1/2" x 2 3/4"  
Ring Dia: 3 1/8"  
Arm Length: 6 1/2"  
  
Handing required. Right hand pictured  
Must be used in conjunction with a gate stop.



**3530 Gate Latch**  
Plate size: 10 1/8" x 2 1/4"  
Arm Length: 7 1/8"  
  
Must be used in conjunction with a gate stop.

# DOOR HOOKS, SURFACE & CANE BOLTS



**Hook & Eye**  
 Shown in dark bronze patina

<b>1530.6</b>	6"
<b>1530.9</b>	9"
<b>1530.12</b>	12"



**Cane Bolt**  
 Shown in dark bronze patina

<b>1593.12</b>	12"
<b>1593.18</b>	18"
<b>1593.24</b>	24"
<b>1593.30</b>	30"

Strike plate included



**Mini Surface Bolt**  
 Shown in light bronze patina

<b>1571.4</b>	4"
<b>1571.8</b>	8"
<b>1571.12</b>	12"
<b>1571.16</b>	16"

Two strike plates supplied



**Surface Bolt**  
 Shown in white bronze patina

<b>1582.8</b>	8"
<b>1582.12</b>	12"
<b>1582.18</b>	18"
<b>1582.24</b>	24"
<b>1582.30</b>	30"
<b>1582.36</b>	36"

Three strike plates included.  
 Riser available for outswing doors.




# TILT & TURN WINDOW HARDWARE



## WDMD Backplate

3 1/8" x 1 1/2"

Shown with Mini Hampton 403 lever in white bronze patina



## WDAR Backplate

3 1/8" x 1 1/2"

Shown with Mini Hampton 403 lever in dark bronze patina



## WDSQ Backplate

3 1/8" x 1 1/2"


Shown with Mini Apollo 453 lever in dark bronze patina

- Supplied with Mini Hampton (403) lever or Mini Apollo (453) lever
- 43mm screw CTC to fit GU or similar tilt & turn window locks
- Supplied with 7mm spindle
- Includes lever alignment mechanism

## ORDERING GUIDE


Patina		Escutcheon	Lever
BZ Dark Bronze	LT Light Bronze	select from table below	403 (Mini Hampton)
WL White Bronze	TC Matt Black		453 (Mini Apollo)

Tilt & Turn Window Hardware is available with your choice of these escutcheons:



## WDSQ

3 1/8" x 1 1/2"



## WDAR

3 1/8" x 1 1/2"



## WDCV

3 1/8" x 1 1/2"



## WDMD

3 1/8" x 1 1/2"

# WINDOW HARDWARE




**990.13 Casement Stay**  
 Arm length: 12 3/4"  
 Shown in dark bronze patina




**1110 Sash Lift**  
 Base: 2 1/4" x 1"  
 Overall height: 1 3/4"  
 Shown in dark bronze patina



**1120 Sash Lock**  
 Width: 2 1/2"  
 Shown in dark bronze patina



**129 Casement Fastener**  
 2" x 1 1/8"  
 Shown in dark bronze patina



**127 Casement Fastener**  
 2" x 1 1/8"  
 Shown in dark bronze patina




Three strike plate included with all casement fasteners




**126 Casement Fastener \***  
 Handle length: 3 1/8"  
 Backplate: 2 1/8" x 1 1/8"  
 Shown in dark bronze patina



**128 Casement Fastener \***  
 Handle length: 3 1/4"  
 Backplate: 2 1/8" x 1 1/8"  
 Shown in dark bronze patina



Right-hand window



Left-hand window

\* Picture depicts handle for left-hand window, also available for right-hand window

# SOLID BRASS HINGES

Ashley Norton offers hinges to complement our Solid Bronze door hardware. Our plain bearing, full mortise hinges are manufactured from solid brass extrusions to current ANSI template specifications. Assorted finial tips are available.

- Hinges manufactured from solid brass extrusions to ensure excellent strength and precision tolerance. There may be a slight variation in texture and color between the hinge and the Solid Bronze product
- Full mortise, plain bearing hinges featuring removable 304 stainless steel pin
- Hinges are not available in Matt Black (TC)
- Template screw hole location for use with wood doors and frames



**HIN3535**  
Shown in light bronze patina  
3 1/2" x 3 1/2"  
0.123" thickness  
Supplied with #10 x 1" screws



**HIN4040**  
Shown in white bronze patina  
4" x 4"  
0.130" thickness  
Supplied with #12 x 1 1/4" screws



**HIN4545**  
Shown in dark bronze patina  
4 1/2" x 4 1/2"  
0.134" thickness  
Supplied with #12 x 1 1/4" screws



**HIN-F-BAL**  
Ball Finial  
Shown in white bronze patina



**HIN-F-ACR**  
Acorn Finial  
Shown in light bronze patina



**HIN-F-STP**  
Steeple Finial  
Shown in dark bronze patina

# DOOR STOPS



**Baseboard Door Stop**  
Shown in dark bronze patina

- 130**      1 ½" Length
- 131**      3" Length
- 132**      4" Length



**136 Cylindrical Door Stop**  
Shown in dark bronze patina  
Dia. : 1 ⅛"

- 136.1** ½"      Height: 1 ½"
- 136.2**      Height: 2"



**1080 Half Button Door Stop**  
Low baseplate (⅙")  
Shown in light bronze patina




**1082 Half Button Door Stop**  
High baseplate (¼")  
Shown in light bronze patina



**133 Door Stop with holder**  
Base dia. : 2 ½"  
Height : 3 ⅞"  
Hook Length : 2 ½"  
Shown in dark bronze patina



**134 Goose Neck Door Stop**  
2 ½" x 2 ½"  
Shown in light bronze patina



**1083 Door Holder**  
Shown in dark bronze patina